














Container Type								
Equipment	Container Type	Container Name	Interior Dimensions	Door Opening	Top Opening	Tare Weight	Cubic Capacity	Payload
20'	 DRY FREIGHT CONTAINER	Dry Freight Container	L : 5,896mm W : 2,350mm H : 2,385mm	W : 2,340mm H : 2,274mm		2,150 kg. 4,739 lbs	33.0 cbm. 1,179 cu.ft	24,850 kg. 54,783 lbs
40'	 DRY FREIGHT CONTAINER	Dry Freight Container	L : 12,035mm W : 2,350mm H : 2,393mm	W : 2,339mm H : 2,274mm		3,700 kg. 8,156 lbs.	67.0 cbm. 2,393 cu.ft.	32,500 kg. 63,491 lbs
40'	 HIGH CUBE DRY CONTAINER	High Cube Dry Container	L : 12,035mm W : 2,350mm H : 2,697mm	W : 2,340mm H : 2,274mm		3,800 kg. 8,377 lbs.	76.0 cbm. 2,714 cu.ft.	30,200 kg. 66,577 lbs.
45'	 HIGH CUBE DRY CONTAINER	High Cube Dry Container	L : 13,556mm W : 2,352mm H : 2,695mm	W : 2,340mm H : 2,579mm		4,800 kg. 10,317 lbs.	86.0 cbm. 3,071 cu.ft.	27,820 kg. 61,330 lbs.
20'	 REEFER CONTAINER	Reefer Container	L : 5,451mm W : 2,294mm H : 2,201mm	W : 2,296mm H : 2,156mm		2,930 kg. 6,062 lbs.	27.9 cbm. 986 cu.ft.	27,550 kg. 53,460 lbs.
40'	 REEFER CONTAINER	Reefer Container	L : 11,577mm W : 2,294mm H : 2,210mm	W : 2,296mm H : 2,174mm		3,900 kg. 8,708 lbs	51.1 cbm. 2,000 cu.ft.	28,600 kg. 62,940 lbs.
40'	 HIGH CUBE REEFER CONTAINER	High Cube Reefer Container	L : 11,578mm W : 2,280mm H : 2,425mm	W : 2,278mm H : 2,473mm		4,500 kg. 9,920 lbs.	64.0 cbm. 2,359 cu.ft.	29,500 kg. 65,034 lbs.
45'	 HIGH CUBE REEFER CONTAINER	High Cube Reefer Container	L : 13,102mm W : 2,294mm H : 2,409mm	W : 2,290mm H : 2,535mm		5,200 kg. 11,463 lbs.	72.4 cbm. 2,571 cu.ft.	27,300 kg. 60,184 lbs.
40'	 FLAT RACK CONTAINER	Flat Rack Container	L : 12,080mm W : 2,438mm H : 2,103mm			5,480 kg. 12,080 lbs.		25,000 kg. 55,113 lbs.
40'	 ARTIFICIAL TWEENDECK	Artificial Tweendeck	L : 11,823mm W : 2,197mm			4,860 kg. 10,714 lbs.		39,580 kg. 87,256 lbs.
20'	 OPEN TOP CONTAINER	Open Top Container	L : 5,893mm W : 2,346mm H : 2,353mm	W : 2,338mm H : 2,273mm	L : 5,488mm W : 2,230mm	2,250 kg. 4,850 lbs.	32.0 cbm. 1,143 cu.ft	28,230 kg. 62,344 lbs.
40'	 OPEN TOP CONTAINER	Open Top Container	L : 12,029mm W : 2,348mm H : 2,359mm	W : 2,338mm H : 2,275mm	L : 11,622mm W : 2,214mm	3,800 kg. 8,377 lbs.	66.0 cbm. 2,355 cu.ft.	28,700 kg. 63,270 lbs.
20'	 OPEN SIDE/OPEN TOP CONTAINER	Open Side	L : 5,928mm W : 2,318mm H :	W : 2,286mm H : 2,278mm	L : 5,350 mm W : 2,138mm	2,775 kg. 6,117 lbs.	31.0 cbm. 1,107 cu.ft	21,225 kg. 46,791 lbs.

	Container	2,257mm						
--	------------------	---------	--	--	--	--	--	--

Notas:

- 1.-Utilizar la tabla de arriba como guía para las especificaciones del envase incluyendo formato, el material, y la dimensión.**
- 2.- El peso bruto máximo permitido para el transporte en las carreteras de Estados Unidos es de 19.00 Toneladas.**
- 3.- El peso bruto máximo permitido para el transporte en las carreteras de Chile es de 24.00 Toneladas. En el caso de Chile, se puede solicitar al ministerio de Obras Públicas, a través del departamento de Vialidad un permiso especial para poder transportar un peso mayor , cabe destacar que ese trámite demora aproximadamente una semana, ya sea para ser aprobado o rechazado.**